

MaxiDry®

People have been asking us to make an oil repellent MaxiFlex® that's still super thin, flexible, dexterous and comfortable. So we did and it's called MaxiDry®.



proRange®



Certified to be washed.
CLEAN, FRESH AND COST EFFECTIVE

TECHNOLOGIES INSIDE



LIQUItch®

For protection against oils and hazardous chemicals

In everyday workshop life, your hands can encounter a variety of substances, including cooling lubricants, oils, greases, and hazardous chemicals. Our LIQUItch® barrier is specifically designed for these situations.

We dip the oil-repellent or chemical-resistant LIQUItch® coatings exclusively onto specially matched carrier materials. This ensures the coating remains flexible and comfortable, while the special material composition protects your hands from a wide range of common cleaning agents and additives.

LIQUItch® – probably the most comfortable protective layer against harmful liquids.



ERGotech®

Reduces hand fatigue

Ultra lightweight - synthetic coating combined with an industry leading super light seamless knit liner provides excellent comfort, sensitivity, fit and dexterity.

Locking cuff - ensures the glove doesn't slip on the hand: an exclusive elasticated support in the wrist area provides a "locking" effect for a close and snug fit.



GRIPtech®

For a secure grip

Our micro-cup non-slip grip finish allows for a controlled and superior grip in oily and wet applications. The nonslip grip is only applied where it is actually needed - in the palm area - to ensure flexibility isn't compromised. GRIPtech® decreases hand fatigue and increases safety.



CLEANLINESS GUARANTEED

We use our HandCare® Program for every single ATG® product. Not only do we make certain that all the elements used in our manufacturing process are safe for our employees, we also wash all the gloves after the production process as a further step in ensuring cleanliness. During this laundering process, we prefer the use of water that is rain-harvested, treated and continually recycled from our own water treatment facilities.

This enables us to guarantee our gloves to be "Fresh out of the pack" which is certified by Oeko-Tex® according to Standard 100. We do not use any SVHC during our manufacturing process.

And if that wasn't enough our gloves are also dermatologically accredited by the Skin Health Alliance. The Skin Health Alliance seal gives, for the first time in the safety industry, professional glove users the confidence that ATG®'s full range of gloves are "dermatologically safe" and the science and research behind them is robust.

More information about HandCare® by ATG® is available at www.atg-glovesolutions.com.



CLEANLINESS GUARANTEED



	56-424	56-425	56-426	56-427
Design	Palm coated knitwrist	3/4 coated knitwrist	Gauntlet - 26 cm	Fully coated knitwrist
Coating	Purple, Black	Purple, Black	Purple, Black	Purple, Black
Liner	Grey	Grey	Neutral	Grey
Sizes	Size 5 (XXS) - Size 12 (XXXL)	Size 5 (XXS) - Size 12 (XXXL)	Size 6 (XS) - Size 11 (XXL)	Size 5 (XXS) - Size 12 (XXXL)
Palm thickness (mm)	1.30 mm	1.30 mm	1.00 mm	1.30 mm
Length	25 cm	25 cm	26 cm	25 cm
EN 388:2016 + A1:2018	4121A	4121A	4111A	4121A
EN ISO 374-5:2016			Yes	
Silicone free	Yes	Yes	Yes	Yes

ALSO AVAILABLE IN THE MAXIDRY® RANGE



MaxiDry® Elite™

With a material thickness of just 0.7 mm, the new MaxiDry® Elite™ is the thinnest and lightest assembly glove for oily applications we've ever built.



MaxiDry® Plus™

MaxiDry® Plus™ is designed and developed for those working with **chemicals requiring good levels of protection** and is certified as a Type B product according to EN ISO 374:2016 + A1:2018.



MaxiDry® Zero™

MaxiDry® Zero™ incorporates the core values of the MaxiDry® brand and is ideal for working inside or outside in **cold environments**.

Where to use:

MAXIDRY® IS DESIGNED FOR USE IN OILY OR WET ENVIRONMENTS.

MaxiDry[®] Elite[™]

With a material thickness of just 0.7 mm, the new MaxiDry[®] Elite[™] is the thinnest and lightest assembly glove for oily applications we've ever built.



proRange[®]



Certified to be washed.
CLEAN, FRESH AND COST EFFECTIVE

TECHNOLOGIES INSIDE



Keeping hot hands cool, dry and productive

The AD-APT[®] Technology is activated by the movement of your hands and increased temperature within the glove, releasing a natural cooling agent that keeps your hands dry and make them cooler. It's designed to last for the duration of the glove and can be laundered.



LIQUITECH[®]

For protection against oils and hazardous chemicals

In everyday workshop life, your hands can encounter a variety of substances, including cooling lubricants, oils, greases, and hazardous chemicals. Our LIQUITECH[®] barrier is specifically designed for these situations.

We dip the oil-repellent or chemical-resistant LIQUITECH[®] coatings exclusively onto specially matched carrier materials. This ensures the coating remains flexible and comfortable, while the special material composition protects your hands from a wide range of common cleaning agents and additives.

LIQUITECH[®] – probably the most comfortable protective layer against harmful liquids.



ERGOTECH[®]

Reduces hand fatigue

No two hands are the same—they're as unique as we are. That's why our gloves are designed to adapt to every hand.

Our gloves mimic the natural shape of your hands. Even the dipping molds we use replicate the resting position of the hand to minimize tension in the material when the gloves are worn. But that's not all.

Each glove includes a knitted liner and a coating that, when combined, ensure maximum flexibility. Additionally, the construction prevents the external coating from coming into contact with your skin.

To accommodate as many individual hands as possible, we offer sizes ranging from 5 (XXS) to 12 (3XL) in our current portfolio.

ERGOTECH[®] is a core feature of all our proRange[®] gloves, ensuring you'll always find the perfect fit. They feel like a second skin, offering exceptional flexibility, dexterity and tactile sensitivity.



CLEANLINESS GUARANTEED

We use our HandCare[®] Program for every single ATG[®] product. Not only do we make certain that all the elements used in our manufacturing process are safe for our employees, we also wash all the gloves after the production process as a further step in ensuring cleanliness. During this laundering process, we prefer the use of water that is rain-harvested, treated and continually recycled from our own water treatment facilities.

This enables us to guarantee our gloves to be "Fresh out of the pack" which is certified by Oeko-Tex[®] according to Standard 100. We do not use any SVHC during our manufacturing process.

And if that wasn't enough our gloves are also dermatologically accredited by the Skin Health Alliance. The Skin Health Alliance seal gives, for the first time in the safety industry, professional glove users the confidence that ATG[®]'s full range of gloves are "dermatologically safe" and the science and research behind them is robust.

More information about HandCare[®] by ATG[®] is available at www.atg-glovesolutions.com.



CLEANLINESS GUARANTEED



	64-225	64-226	64-227
Design	3/4 coated knitwrist	Drivers style knitwrist	Fully coated knitwrist
Coating	Purple, Black	Purple, Black	Purple, Black
Liner	Grey	Grey	Grey
Sizes	Size 5 (XXS) - Size 12 (XXXL)	Size 6 (XS) - Size 11 (XXL)	Size 5 (XXS) - Size 12 (XXXL)
Palm thickness (mm)	0.70 mm	0.70 mm	0.70 mm
Length	25 cm	26 cm	25 cm
EN 388:2016 + A1:2018	3111X	3111X	3111X
EN ISO 374-5:2016	Yes	Yes	

ALSO AVAILABLE IN THE MAXIDRY® RANGE



MaxiDry®

People have been asking us to make an **oil repellent** MaxiFlex® that's still super thin, flexible, dexterous and comfortable. So we did and it's called MaxiDry®.



MaxiDry® Plus™

MaxiDry® Plus™ is designed and developed for those working with **chemicals requiring good levels of protection** and is certified as a Type B product according to EN ISO 374:2016 + A1:2018.



MaxiDry® Zero™

MaxiDry® Zero™ incorporates the core values of the MaxiDry® brand and is ideal for working inside or outside in **cold environments**.

Where to use:

MAXIDRY® ELITE™ IS DESIGNED FOR USE IN OILY OR WET ENVIRONMENTS.

MaxiDry[®] PLUS[™]

proRange[®]

MaxiDry[®] Plus[™] is designed and developed for those working with chemicals requiring good levels of protection and is certified as a Type B product according to EN ISO 374:2016 + A1:2018.

TECHNOLOGIES INSIDE



For protection against oils and hazardous chemicals

In everyday workshop life, your hands can encounter a variety of substances, including cooling lubricants, oils, greases, and hazardous chemicals. Our LIQUItch[®] barrier is specifically designed for these situations.

We dip the oil-repellent or chemical-resistant LIQUItch[®] coatings exclusively onto specially matched carrier materials. This ensures the coating remains flexible and comfortable, while the special material composition protects your hands from a wide range of common cleaning agents and additives.

LIQUItch[®] – probably the most comfortable protective layer against harmful liquids.



Reduces hand fatigue

Ultra lightweight - synthetic coating combined with an industry leading super light seamless knit liner provides excellent comfort, sensitivity, fit and dexterity.

Locking cuff - ensures the glove doesn't slip on the hand: an exclusive elasticated support in the wrist area provides a "locking" effect for a close and snug fit.



For a secure grip

Our micro-cup non-slip grip finish allows for a controlled and superior grip in oily and wet applications. The nonslip grip is only applied where it is actually needed - in the palm area - to ensure flexibility isn't compromised. GRIPtech[®] decreases hand fatigue and increases safety.



CLEANLINESS GUARANTEED

We use our HandCare[®] Program for every single ATG[®] product. Not only do we make certain that all the elements used in our manufacturing process are safe for our employees, we also wash all the gloves after the production process as a further step in ensuring cleanliness. During this laundering process, we prefer the use of water that is rain-harvested, treated and continually recycled from our own water treatment facilities.

This enables us to guarantee our gloves to be "Fresh out of the pack" which is certified by Oeko-Tex[®] according to Standard 100. We do not use any SVHC during our manufacturing process.

And if that wasn't enough our gloves are also dermatologically accredited by the Skin Health Alliance. The Skin Health Alliance seal gives, for the first time in the safety industry, professional glove users the confidence that ATG[®]'s full range of gloves are "dermatologically safe" and the science and research behind them is robust.

More information about HandCare[®] by ATG[®] is available at www.atg-glovesolutions.com.



CLEANLINESS GUARANTEED



56-530

Design	Gauntlet - 30 cm
Coating	Blue, Black
Liner	White
Sizes	Size 7 (S) - Size 11 (XXL)
Palm thickness (mm)	1.10 mm
Length	30 cm
EN 388:2016 + A1:2018	4121A
EN ISO 374-1:2016 + A1:2018	JKL
EN ISO 374-5:2016	Yes
Silicone free	Yes

ALSO AVAILABLE IN THE MAXIDRY[®] RANGE



MaxiDry[®]

People have been asking us to make an oil repellent MaxiFlex[®] that's still super thin, flexible, dexterous and comfortable. So we did and it's called MaxiDry[®].



MaxiDry[®] Elite[™]

With a material thickness of just 0.7 mm, the new MaxiDry[®] Elite[™] is the thinnest and lightest assembly glove for oily applications we've ever built.



MaxiDry[®] Zero[™]

MaxiDry[®] Zero[™] incorporates the core values of the MaxiDry[®] brand and is ideal for working inside or outside in **cold environments**.

Where to use:

MAXIDRY[®] PLUS[™] IS DESIGNED FOR USE IN OILY, WET ENVIRONMENTS AND/OR LOW LEVEL OF CHEMICAL RESISTANCE APPLICATIONS.

MaxiDry® ZERO™

proRange®

The MaxiDry® Zero™ integrates the core values of the MaxiDry® brand to bring comfort and liquid repellence together and combine them with our THERMtech® technology platform. This technology offers thermal resistance up to -10°C/14°F inside the glove under high activity with a coating designed to remain flexible for temperature up to -30°C / -22°F.

MaxiDry® Zero™ is certified according the European food standards and compliant to FDA CFR Title 21 Part 177.



Certified to be washed.
CLEAN, FRESH AND COST EFFECTIVE

TECHNOLOGIES INSIDE



LIQUItch®

For protection against oils and hazardous chemicals

In everyday workshop life, your hands can encounter a variety of substances, including cooling lubricants, oils, greases, and hazardous chemicals. Our LIQUItch® barrier is specifically designed for these situations.

We dip the oil-repellent or chemical-resistant LIQUItch® coatings exclusively onto specially matched carrier materials. This ensures the coating remains flexible and comfortable, while the special material composition protects your hands from a wide range of common cleaning agents and additives.

LIQUItch® – probably the most comfortable protective layer against harmful liquids.



THERMtech®

For protection against hot or cold

THERMtech® combines coating and seamless knitting technologies that impart thermal insulation properties to resist heat or cold. ATG® has in-house state of the art facilities to blend heat resistant yarns and fibers to produce products with high thermal insulation properties, without sacrificing flexibility, dexterity, weight and comfort.



ERGotech®

Reduces hand fatigue

No two hands are the same—they're as unique as we are. That's why our gloves are designed to adapt to every hand.

Our gloves mimic the natural shape of your hands. Even the dipping molds we use replicate the resting position of the hand to minimize tension in the material when the gloves are worn. But that's not all.

Each glove includes a knitted liner and a coating that, when combined, ensure maximum flexibility. Additionally, the construction prevents the external coating from coming into contact with your skin.

To accommodate as many individual hands as possible, we offer sizes ranging from 5 (XXS) to 12 (3XL) in our current portfolio.

ERGotech® is a core feature of all our proRange® gloves, ensuring you'll always find the perfect fit. They feel like a second skin, offering



CLEANLINESS GUARANTEED

We use our HandCare® Program for every single ATG® product. Not only do we make certain that all the elements used in our manufacturing process are safe for our employees, we also wash all the gloves after the production process as a further step in ensuring cleanliness. During this laundering process, we prefer the use of water that is rain-harvested, treated and continually recycled from our own water treatment facilities.

This enables us to guarantee our gloves to be "Fresh out of the pack" which is certified by Oeko-Tex® according to Standard 100. We do not use any SVHC during our manufacturing process.

And if that wasn't enough our gloves are also dermatologically accredited by the Skin Health Alliance. The Skin Health Alliance seal gives, for the first time in the safety industry, professional glove users the confidence that ATG®'s full range of gloves are "dermatologically safe" and the science and research behind them is robust.

More information about HandCare® by ATG® is available at www.atg-glovesolutions.com.



CLEANLINESS GUARANTEED



56-451

Design	Fully coated knitwrist
Coating	Purple, Black
Liner	Dark blue
Sizes	Size 6 (XS) - Size 11 (XXL)
Palm thickness (mm)	2.00 mm
Length	29 cm
EN 388:2016 + A1:2018	4232B
EN 407:2020	X1XXXX
Touchscreen compatible	Yes
Silicone free	Yes

ALSO AVAILABLE IN THE MAXIDRY® RANGE



MaxiDry®

People have been asking us to make an oil repellent MaxiFlex® that's still super thin, flexible, dexterous and comfortable. So we did and it's called MaxiDry®.



MaxiDry® Elite™

With a material thickness of just 0.7 mm, the new MaxiDry® Elite™ is the thinnest and lightest assembly glove for oily applications we've ever built.



MaxiDry® Plus™

MaxiDry® Plus™ is designed and developed for those working with chemicals requiring good levels of protection and is certified as a Type B product according to EN ISO 374:2016 + A1:2018.

Where to use:

MAXIDRY® ZERO™ IS DESIGNED FOR USE IN DRY OR WET ENVIRONMENTS REQUIRING THERMAL RESISTANCE.