

# PRODUCT DATA SHEET

## MaxiDry® Zero™ 56-451

|                     |                                |
|---------------------|--------------------------------|
| Colour - Coating    | Purple, Black                  |
| Colour - Liner      | Dark blue                      |
| Design              | Fully coated knitwrist         |
| Coating             | NBR (Nitrile Butadiene Rubber) |
| Texture             | Micro-Foam with Non-Slip Grip  |
| Liner               | Nylon, Acrylic                 |
| Patent number       | EP 1 608 808                   |
| Palm thickness (mm) | 2.00                           |



### Dimensions

| Size Range                    | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) |
|-------------------------------|------------|------------|------------|--------------|---------------|
| Total glove length (+/- 5 mm) | 250        | 260        | 270        | 280          | 290           |
| Wrist length (mm)             | 98         | 98         | 100        | 100          | 102           |
| Wrist width (mm)              | 96         | 96         | 100        | 104          | 104           |
| palm width (mm)               | 110        | 115        | 118        | 125          | 130           |
| Over lock colour              | Red        | Orange     | White      | Yellow       | Black         |

### EN Test Results

| Test                  | Notified Body | Result/Pass |
|-----------------------|---------------|-------------|
| EN ISO 21420: 2020    | SATRA IRE     | Yes         |
| EN 388:2016 + A1:2018 | SATRA IRE     | 4232B       |
| EN 511:2006           | SATRA IRE     | 021         |
| EN 407:2020           | SATRA IRE     | X1XXXX      |

### Typical performance Values

|                                              |               |
|----------------------------------------------|---------------|
| EN ISO 21420: General requirements Dexterity | Level 5       |
| EN 388:2016 + A1:2018 A. Abrasion Resistance | > 8000 Cycles |
| EN 388:2016 + A1:2018 B. Cut Resistance      | > 2.5 index   |
| EN 388:2016 + A1:2018 C. Tear Resistance     | > 50 newtons  |
| EN 388:2016 + A1:2018 D. Puncture Resistance | > 60 newtons  |
| EN 388:2016 + A1:2018 E. Cut Resistance ISO  | ≥ 5 Newton    |

# PRODUCT DATA SHEET

## MaxiDry® Zero™ 56-451

### HandCare®

|                                                      |            |
|------------------------------------------------------|------------|
| SKin Health Alliance dermatologically Accredited     | Yes        |
| REACH compliant                                      | Yes        |
| OEKO-TEX® Standard 100 - 08.BH.57867 Hohenstein HTTI | Certified  |
| Washable                                             | 40°C/104°F |
| Sanitized                                            | Yes        |



### Special features

|                        |     |
|------------------------|-----|
| Touchscreen compatible | Yes |
| Silicone free          | Yes |
| Liquid proof           | Yes |
| FDA compliant          | Yes |
| Food contact (EU)      | Yes |



### Packaging

|                        |                 |
|------------------------|-----------------|
| Pairs per poly bag     | 6               |
| Poly bag per carton    | 12              |
| Carton count           | 72              |
| Carton Dimensions (mm) | 500 x 295 x 270 |

### Weight

| Size Range                       | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) |
|----------------------------------|------------|------------|------------|--------------|---------------|
| Glove weight / pair (+/- 6 gram) | 110        | 116        | 128        | 132          | 144           |
| Gross weight (kg)                | 9          | 9.5        | 10.3       | 10.65        | 11.5          |
| Carton weight (kg)               | 1          | 1          | 1          | 1            | 1             |
| Net weight (kg)                  | 8.0        | 8.5        | 9.3        | 9.7          | 10.5          |

# PRODUCT DATA SHEET

## MaxiDry® Zero™ 56-451

Issue date: 13/09/2024

