


SIGURNOSNO TEHNIČKI LIST ZA PROIZVOD

MaxiFlex® Active™ 34-824



Boja – Premaz	Svijetloplava
Boja – Podstava	Svijetloplava
Dizajn	Premaz preko dlana
Premaz	NBR (nitril butadien guma)
Tekstura premaza	Mikro pjena
Podstava	Najlon, Spandeks
Broj patenta	EP 1 608 808
Debljina preko dlana (mm)	1.00



Dimenzije

Raspon veličina	Veličina 5 (XXS)	Veličina 6 (XS)	Veličina 7 (S)	Veličina 8 (M)	Veličina 9 (L)	Veličina 10 (XL)	Veličina 11 (XXL)	Veličina 12 (XXXL)
Ukupna duljina rukavice (+/-5 mm)	185	195	205	215	225	230	235	240
Duljina zgloba (mm)	55	60	1	65	70	70	70	70
Širina zgloba (mm)	65	65	65	70	75	75	80	85
Širina dlana (mm)	75	81	83	89	95	97	100	103
Boja štepa	Ljubičasta	Plava	Crvena	Narančasta	Bijela	Žuta	Crna	Zelena

EN rezultati testiranja

Test	Tijelo za ocjenu sukladnosti	Rezultat/prolaz
EN ISO 21420:2020+A1:2024	TÜV Rheinland	Da
EN 388:2016 + A1:2018	TÜV Rheinland	4131A

Tipične vrijednosti performansi

EN ISO 21420: Opći zahtjevi Dexterity	Razina 5
EN 388:2016 + A1:2018 A. Otpornost na abraziju	> 8000 ciklusa
EN 388:2016 + A1:2018 B. Otpornost na razrezivanje	> 1,2 indeks
EN 388:2016 + A1:2018 C. Otpornost na kidanje	> 50 njutna
EN 388:2016 + A1:2018 D. Otpornost na probijanje	> 20 njutna
EN 388:2016 + A1:2018 E. Otpornost na razrezivanje ISO	≥ 2 njutna

SIGURNOSNO TEHNIČKI LIST ZA PROIZVOD

MaxiFlex® Active™ 34-824

HandCare®

Dermatološki akreditirano od Skin Health Alliance	Da
REACH compliant	Da
OEKO-TEX® Standard 100 - 08.BH.57867 Hohenstein HTTI	Certificirano
Perivo	40°C/104°F
Sanitized®	Da



Posebne značajke

Bez silikona	Da
Pogodne za dodirni zaslon	Da



Pakiranje

Pari po jednoj plastičnoj vrećici	12
Plastičnih vrećica po kartonskoj kutiji	12
Komada u kartonskoj kutiji	144
Dimenzije kartonske kutije (mm)	500 x 295 x 270

Težina

Raspon veličina	Veličina 5 (XXS)	Veličina 6 (XS)	Veličina 7 (S)	Veličina 8 (M)	Veličina 9 (L)	Veličina 10 (XL)	Veličina 11 (XXL)	Veličina 12 (XXXL)
Težina rukavica / par (+/-6 gram)	26	28	32	38	40	42	44	
Bruto težina (kg)	5	5.3	5.9	6.7	7	7.3	7.6	
Težina kutije (kg)	1	1	1	1	1	1	1	
Neto težina (kg)	4.0	4.3	4.9	5.7	6.0	6.3	6.6	0.0

SIGURNOSNO TEHNIČKI LIST ZA PROIZVOD

MaxiFlex® Active™ 34-824

Datum izdavanja: 21/11/2023

