


# PRODUCT DATA SHEET

## MaxiCut® Ultra™ 44-3745

|                     |                                        |
|---------------------|----------------------------------------|
| Colour – Coating    | Black                                  |
| Colour – Liner      | Blue                                   |
| Design              | Palm coated knitwrist                  |
| Coating             | NBR (Nitrile Butadiene Rubber)         |
| Coating texture     | Micro-Foam for Controlled Grip         |
| Liner               | Polyester, Spandex, UHMWPE-Glass-Nylon |
| Palm thickness (mm) | 1.00                                   |



### Dimensions

| Size Range                    | Size 6 (XS) | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) | Size 12 (XXXL) |
|-------------------------------|-------------|------------|------------|------------|--------------|---------------|----------------|
| Total glove length (+/- 5 mm) | 200         | 210        | 220        | 230        | 240          | 245           | 250            |
| Wrist length (mm)             | 60          | 70         | 70         | 70         | 75           | 80            | 85             |
| Wrist width (mm)              | 65          | 72         | 74         | 76         | 78           | 80            | 82             |
| Palm width (mm)               | 82          | 86         | 96         | 98         | 100          | 103           | 106            |
| Over lock colour              | Blue        | Red        | Orange     | White      | Yellow       | Black         | Green          |

### EN Test Results

| Test                       | Notified body | Result/Pass |
|----------------------------|---------------|-------------|
| EN ISO 21420: 2020+A1:2024 | TÜV Rheinland | Yes         |
| EN 388:2016 + A1:2018      | TÜV Rheinland | 4442C       |

### Typical Performance Values

|                                              |               |
|----------------------------------------------|---------------|
| EN ISO 21420: General requirements Dexterity | Level 5       |
| EN 388:2016 + A1:2018 A. Abrasion Resistance | > 8000 Cycles |
| EN 388:2016 + A1:2018 B. Cut Resistance      | > 10.0 index  |
| EN 388:2016 + A1:2018 C. Tear Resistance     | > 75 newtons  |
| EN 388:2016 + A1:2018 D. Puncture Resistance | > 60 newtons  |
| EN 388:2016 + A1:2018 E. Cut Resistance ISO  | ≥ 10 Newton   |

# PRODUCT DATA SHEET

## MaxiCut® Ultra™ 44-3745

### HandCare®

|                                                      |            |
|------------------------------------------------------|------------|
| Skin Health Alliance Dermatologically Accredited     | Yes        |
| REACH compliant                                      | Yes        |
| OEKO-TEX® Standard 100 - 08.BH.57867 Hohenstein HTTI | Certified  |
| Washable                                             | 40°C/104°F |
| Sanitized®                                           | Yes        |



### Special features

|                        |     |
|------------------------|-----|
| Silicone free          | Yes |
| FDA compliant          | Yes |
| Food contact (EU)      | Yes |
| Touchscreen compatible | Yes |



### Packaging

|                        |                 |
|------------------------|-----------------|
| Pairs per poly bag     | 12              |
| Poly bags per carton   | 6               |
| Carton count           | 72              |
| Carton dimensions (mm) | 500 x 295 x 200 |

### Weight

| Size Range                       | Size 6 (XS) | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) | Size 12 (XXXL) |
|----------------------------------|-------------|------------|------------|------------|--------------|---------------|----------------|
| Glove weight / pair (+/- 6 gram) | 40          | 46         | 50         | 54         | 58           | 62            | 64             |
| Gross weight (kg)                | 4           | 3.75       | 4.5        | 5          | 5.5          | 5.65          | 5.8            |
| Carton weight (kg)               | 1           | 1          | 1          | 1          | 1            | 1             | 1              |
| Net weight (kg)                  | 3.0         | 2.8        | 3.5        | 4.0        | 4.5          | 4.7           | 4.8            |

# PRODUCT DATA SHEET

## MaxiCut® Ultra™ 44-3745

Issue date: 24/03/2023

