

PRODUCT DATA SHEET

MaxiCut® Oil™ 34-504

Colour – Coating	Grey, Black
Colour – Liner	Blue
Design	Palm coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam with Non-Slip Grip
Liner	UHMWPE-Glass-Nylon, Polyester, Spandex
Patent number	EP 1 608 808
Palm thickness (mm)	1.60



Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/- 10 mm)	210	220	230	240	250	255
Wrist length (mm)	70	72	74	78	80	80
Wrist width (mm)	74	75	80	82	85	85
Palm width (mm)	90	92	97	101	104	108
Over lock colour	Blue	Red	Orange	White	Yellow	Black

EN Test Results

Test	Notified body	Result/Pass
EN ISO 21420: 2020	TÜV Rheinland	Yes
EN 388:2016 + A1:2018	TÜV Rheinland	4443C



PRODUCT DATA SHEET

MaxiCut® Oil™ 34-504

Typical Performance Values

EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 10.0 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 75 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 100 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 10 Newton

HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867 Hohenstein HTTI)	Certified
Washable	40°C/104°F
Sanitized®	Yes



Special features

FDA compliant	Yes
---------------	-----



PRODUCT DATA SHEET

MaxiCut® Oil™ 34-504

Packaging

Pairs per poly bag	12
Poly bags per carton	6
Carton count	72
Carton dimensions (mm)	500 x 295 x 200

Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Glove weight / pair (+/- 6 gram)	68	76	84	92	100	108
Gross weight (kg)	6	6.65	7.2	7.8	8.4	8.8
Carton weight (kg)	1	1	1	1	1	1
Net weight (kg)	5.0	5.7	6.2	6.8	7.4	7.8

Issue date: 05/06/2018

