

# MaxiFlex<sup>®</sup>

## ULTIMATE<sup>™</sup>

proRange<sup>®</sup>

The MaxiFlex<sup>®</sup> Ultimate<sup>™</sup> has become the benchmark for precision handling in dry environments.

MaxiFlex<sup>®</sup> is dermatologically accredited and pre-washed prior to packaging enabling us to guarantee it "Fresh out of the pack".



**Certified to be washed.**  
**CLEAN, FRESH AND COST EFFECTIVE**

### TECHNOLOGIES INSIDE



#### 360° Breathable

**360° breathability** - Our patented micro-foam coating channels moisture and heat away from your skin to maintain an optimal hand temperature so you can work productively.

For a greater cooling effect look to use our AD-APT<sup>®</sup> Technology which works in conjunction with AIRtech<sup>®</sup>.



#### Longer use saves you money and protects the environment

MaxiFlex<sup>®</sup> has outstanding durability withstanding 18.000 abrasive cycles per millimetre thanks to the use of the DURAtch<sup>®</sup> coating technology in the coating construction. Per millimetre of coating MaxiFlex<sup>®</sup> has over twice the resistance of another other glove in its class.



#### Reduces hand fatigue

**25% thinner** - than most foam nitrile gloves on the market whilst offering twice the mechanical performance.

**Form, fit and feel** - mimics the "hand at rest", reducing hand fatigue and increasing comfort.

**Latest knitting technology** - utilised to produce smooth and rounded fingertips, improving fingertip sensitivity.

**Consistent liner penetration** - from the nitrile, leaving only the soft liner resting against the skin.



#### For a secure grip

**Optimised grip** delivered through our micro-cup finish allows for a controlled grip. GRIPtech<sup>®</sup> decreases hand fatigue and increases safety.



### CLEANLINESS GUARANTEED

We use our HandCare<sup>®</sup> Program for every single ATG<sup>®</sup> product. Not only do we make certain that all the elements used in our manufacturing process are safe for our employees, we also wash all the gloves after the production process as a further step in ensuring cleanliness. During this laundering process, we prefer the use of water that is rain-harvested, treated and continually recycled from our own water treatment facilities.

This enables us to guarantee our gloves to be "Fresh out of the pack" which is certified by Oeko-Tex<sup>®</sup> according to Standard 100. We do not use any SVHC during our manufacturing process.

And if that wasn't enough our gloves are also dermatologically accredited by the Skin Health Alliance. The Skin Health Alliance seal gives, for the first time in the safety industry, professional glove users the confidence that ATG<sup>®</sup>'s full range of gloves are "dermatologically safe" and the science and research behind them is robust.

**More information about HandCare<sup>®</sup> by ATG<sup>®</sup> is available at [www.atg-glovesolutions.com](http://www.atg-glovesolutions.com).**



# MaxiFlex<sup>®</sup>

## ULTIMATE<sup>™</sup>



STANDARD  
100  
08.BH.57867  
Hohenstein HTTI  
www.oeko-tex.com



proRange<sup>®</sup>

CLEANLINESS GUARANTEED



|                        | 34-874                        | 34-874FY                      | 34-875                        | 34-876                        | 34-878                        |
|------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Design                 | Palm coated knitwrist         | Palm coated knitwrist         | 3/4 coated knitwrist          | Fully coated knitwrist        | Palm coated knitwrist         |
| Coating                | Black                         | Yellow                        | Black                         | Black                         | Black                         |
| Liner                  | Grey                          | Yellow                        | Grey                          | Grey                          | Orange                        |
| Sizes                  | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) |
| Palm thickness (mm)    | 1.00 mm                       | 1.00 mm                       | 1.00 mm                       | 1.00 mm                       | 1.00 mm                       |
| Length                 | 24 cm                         | 24 cm                         | 24.5 cm                       | 24.5 cm                       | 23.5 cm                       |
| EN 388:2016 + A1:2018  | 4131A                         | 4131A                         | 4131A                         | 4131A                         | 4131A                         |
| Silicone free          | Yes                           | Yes                           | Yes                           | Yes                           | Yes                           |
| Touchscreen compatible | Yes                           | Yes                           | Yes                           | Yes                           | Yes                           |

### ALSO AVAILABLE IN THE MAXIFLEX<sup>®</sup> RANGE



#### MaxiFlex<sup>®</sup> Ultimate<sup>™</sup> with AD-APT<sup>®</sup>

Now the iconic MaxiFlex<sup>®</sup> gets even better thanks to the inclusion of the new AD-APT<sup>®</sup> Cooling Technology from ATG<sup>®</sup>.



#### MaxiFlex<sup>®</sup> Endurance<sup>™</sup>

The raised dots on the MaxiFlex<sup>®</sup> Endurance<sup>™</sup> offers increased cushioned for those doing repetitive jobs or carry heavy loads.



#### MaxiFlex<sup>®</sup> Endurance<sup>™</sup> with AD-APT<sup>®</sup>

Now the iconic MaxiFlex<sup>®</sup> gets even better thanks to the inclusion of the new AD-APT<sup>®</sup> Cooling Technology from ATG<sup>®</sup>.



#### MaxiFlex<sup>®</sup> Cut<sup>™</sup>

MaxiFlex<sup>®</sup> Cut<sup>™</sup> is a cut resistant MaxiFlex<sup>®</sup> that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



#### MaxiFlex<sup>®</sup> Cut<sup>™</sup> with AD-APT<sup>®</sup>

Now available with the new and improved AD-APT<sup>®</sup> Cooling Technology. MaxiFlex<sup>®</sup> Cut<sup>™</sup> is a cut resistant MaxiFlex<sup>®</sup> that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



#### MaxiFlex<sup>®</sup> Comfort<sup>™</sup>

Offering extra insulation against heat and cold through high grade soft cotton that's plated inside the liner.



#### MaxiFlex<sup>®</sup> Elite<sup>™</sup>

Weighing only 14 grams the MaxiFlex<sup>®</sup> Elite<sup>™</sup> is our lightest and thinnest MaxiFlex<sup>®</sup> when extreme dexterity is needed.



#### MaxiFlex<sup>®</sup> Active<sup>™</sup>

Aloe vera and vitamin E are released while your work taking care of your hands during and after work.

#### Where to use:

**MAXIFLEX<sup>®</sup> ULTIMATE<sup>™</sup> IS DESIGNED FOR USE IN DRY ENVIRONMENTS REQUIRING PRECISION HANDLING.**

# MaxiFlex<sup>®</sup>

## ULTIMATE<sup>™</sup>

proRange<sup>®</sup>

Now the iconic MaxiFlex<sup>®</sup> gets even better thanks to the inclusion of the new AD-APT<sup>®</sup> Cooling Technology from ATG<sup>®</sup>.

MaxiFlex<sup>®</sup> is dermatologically accredited and pre-washed prior to packaging enabling us to guarantee it "Fresh out of the pack".



**Certified to be washed.**  
**CLEAN, FRESH AND COST EFFECTIVE**

### TECHNOLOGIES INSIDE



#### Keeping hot hands cool, dry and productive

The AD-APT<sup>®</sup> Technology is activated by the movement of your hands and increased temperature within the glove, releasing a natural cooling agent that keeps your hands dry and make them cooler. It's designed to last for the duration of the glove and can be laundered.



#### 360° Breathable

**360° breathability** - Our patented micro-foam coating channels moisture and heat away from your skin to maintain an optimal hand temperature so you can work productively.

For a greater cooling effect look to use our AD-APT<sup>®</sup> Technology which works in conjunction with AIRtech<sup>®</sup>.



#### Longer use saves you money and protects the environment

MaxiFlex<sup>®</sup> has outstanding durability withstanding 18.000 abrasive cycles per millimetre thanks to the use of the DURAtch<sup>®</sup> coating technology in the coating construction. Per millimetre of coating MaxiFlex<sup>®</sup> has over twice the resistance of another other glove in its class.



#### Reduces hand fatigue

**25% thinner** - than most foam nitrile gloves on the market whilst offering twice the mechanical performance.

**Form, fit and feel** - mimics the "hand at rest", reducing hand fatigue and increasing comfort.

**Latest knitting technology** - utilised to produce smooth and rounded fingertips, improving fingertip sensitivity.

**Consistent liner penetration** - from the nitrile, leaving only the soft liner resting against the skin.



#### For a secure grip

**Optimised grip** delivered through our micro-cup finish allows for a controlled grip. GRIPtech<sup>®</sup> decreases hand fatigue and increases safety.



### CLEANLINESS GUARANTEED

We use our HandCare<sup>®</sup> Program for every single ATG<sup>®</sup> product. Not only do we make certain that all the elements used in our manufacturing process are safe for our employees, we also wash all the gloves after the production process as a further step in ensuring cleanliness. During this laundering process, we prefer the use of water that is rain-harvested, treated and continually recycled from our own water treatment facilities.

This enables us to guarantee our gloves to be "Fresh out of the pack" which is certified by Oeko-Tex<sup>®</sup> according to Standard 100. We do not use any SVHC during our manufacturing process.

And if that wasn't enough our gloves are also dermatologically accredited by the Skin Health Alliance. The Skin Health Alliance seal gives, for the first time in the safety industry, professional glove users the confidence that ATG<sup>®</sup>'s full range of gloves are "dermatologically safe" and the science and research behind them is robust.

**More information about HandCare<sup>®</sup> by ATG<sup>®</sup> is available at [www.atg-glovesolutions.com](http://www.atg-glovesolutions.com).**



### CLEANLINESS GUARANTEED



|                               | 42-874                        | 42-874FY                      | 42-875                        | 42-876                        | 42-878                        |
|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| <b>Design</b>                 | Palm coated knitwrist         | Palm coated knitwrist         | 3/4 coated knitwrist          | Fully coated knitwrist        | Palm coated knitwrist         |
| <b>Coating</b>                | Black                         | Yellow                        | Black                         | Black                         | Black                         |
| <b>Liner</b>                  | Grey                          | Yellow                        | Grey                          | Grey                          | Orange                        |
| <b>Sizes</b>                  | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) |
| <b>Palm thickness (mm)</b>    | 1.00 mm                       | 1.00 mm                       | 1.00 mm                       | 1.00 mm                       | 1.00 mm                       |
| <b>Length</b>                 | 24 cm                         | 24 cm                         | 24.5 cm                       | 24.5 cm                       | 23.5 cm                       |
| <b>EN 388:2016 + A1:2018</b>  | 4131A                         | 4131A                         | 4131A                         | 4131A                         | 4131A                         |
| <b>Silicone free</b>          | Yes                           | Yes                           | Yes                           | Yes                           | Yes                           |
| <b>Touchscreen compatible</b> | Yes                           | Yes                           | Yes                           | Yes                           | Yes                           |

### ALSO AVAILABLE IN THE MAXIFLEX<sup>®</sup> RANGE



#### MaxiFlex<sup>®</sup> Ultimate<sup>™</sup>

The MaxiFlex<sup>®</sup> Ultimate<sup>™</sup> has become the benchmark for precision handling in dry environments.



#### MaxiFlex<sup>®</sup> Endurance<sup>™</sup>

The raised dots on the MaxiFlex<sup>®</sup> Endurance<sup>™</sup> offers increased cushioned for those doing repetitive jobs or carry heavy loads.



#### MaxiFlex<sup>®</sup> Endurance<sup>™</sup> with AD-APT<sup>®</sup>

Now the iconic MaxiFlex<sup>®</sup> gets even better thanks to the inclusion of the new AD-APT<sup>®</sup> Cooling Technology from ATG<sup>®</sup>.



#### MaxiFlex<sup>®</sup> Cut<sup>™</sup>

MaxiFlex<sup>®</sup> Cut<sup>™</sup> is a cut resistant MaxiFlex<sup>®</sup> that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



#### MaxiFlex<sup>®</sup> Cut<sup>™</sup> with AD-APT<sup>®</sup>

Now available with the new and improved AD-APT<sup>®</sup> Cooling Technology. MaxiFlex<sup>®</sup> Cut<sup>™</sup> is a cut resistant MaxiFlex<sup>®</sup> that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



#### MaxiFlex<sup>®</sup> Comfort<sup>™</sup>

Offering extra insulation against heat and cold through high grade soft cotton that's plated inside the liner.



#### MaxiFlex<sup>®</sup> Elite<sup>™</sup>

Weighing only 14 grams the MaxiFlex<sup>®</sup> Elite<sup>™</sup> is our lightest and thinnest MaxiFlex<sup>®</sup> when extreme dexterity is needed.



#### MaxiFlex<sup>®</sup> Active<sup>™</sup>

Aloe vera and vitamin E are released while your work taking care of your hands during and after work.

#### Where to use:

**MAXIFLEX<sup>®</sup> ULTIMATE<sup>™</sup> IS DESIGNED FOR USE IN DRY ENVIRONMENTS REQUIRING PRECISION HANDLING.**



# MaxiFlex®

## ENDURANCE™

The raised dots on the MaxiFlex® Endurance™ offers increased cushioned for those doing repetitive jobs or carry heavy loads.

MaxiFlex® is dermatologically accredited and pre-washed prior to packaging enabling us to guarantee it "Fresh out of the pack".



**Certified to be washed.**  
**CLEAN, FRESH AND COST EFFECTIVE**

### TECHNOLOGIES INSIDE



**AIRtech®**

#### 360° Breathable

**360° breathability** - Our patented micro-foam coating channels moisture and heat away from your skin to maintain an optimal hand temperature so you can work productively.

For a greater cooling effect look to use our AD-APT® Technology which works in conjunction with AIRtech®.



**DURatech®**

#### Longer use saves you money and protects the environment

MaxiFlex® has outstanding durability withstanding 18.000 abrasive cycles per millimetre thanks to the use of the DURatech® coating technology in the coating construction. Per millimetre of coating MaxiFlex® has over twice the resistance of another other glove in its class.



**ERGotech®**

#### Reduces hand fatigue

**25% thinner** - than most foam nitrile gloves on the market whilst offering twice the mechanical performance.

**Form, fit and feel** - mimics the "hand at rest", reducing hand fatigue and increasing comfort.

**Latest knitting technology** - utilised to produce smooth and rounded fingertips, improving fingertip sensitivity.

**Consistent liner penetration** - from the nitrile, leaving only the soft liner resting against the skin.



**GRIPtech®**

#### For a secure grip

**Optimised grip** delivered through our micro-cup finish allows for a controlled grip. GRIPtech® decreases hand fatigue and increases safety.



proRange®



### CLEANLINESS GUARANTEED

We use our HandCare® Program for every single ATG® product. Not only do we make certain that all the elements used in our manufacturing process are safe for our employees, we also wash all the gloves after the production process as a further step in ensuring cleanliness. During this laundering process, we prefer the use of water that is rain-harvested, treated and continually recycled from our own water treatment facilities.

This enables us to guarantee our gloves to be "Fresh out of the pack" which is certified by Oeko-Tex® according to Standard 100. We do not use any SVHC during our manufacturing process.

And if that wasn't enough our gloves are also dermatologically accredited by the Skin Health Alliance. The Skin Health Alliance seal gives, for the first time in the safety industry, professional glove users the confidence that ATG®s full range of gloves are "dermatologically safe" and the science and research behind them is robust.

**More information about HandCare® by ATG® is available at [www.atg-glovesolutions.com](http://www.atg-glovesolutions.com).**



# MaxiFlex®

## ENDURANCE™



STANDARD  
100  
08.BH.57867  
Hohenstein HTTI  
www.oeko-tex.com



proRange®

CLEANLINESS GUARANTEED



|                        | 34-844                        | 34-845                       | 34-847                       | 34-848                        |
|------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|
| Design                 | Palm coated knitwrist         | 3/4 coated knitwrist         | Drivers style knitwrist      | Palm coated knitwrist         |
| Coating                | Black                         | Black                        | Black                        | Black                         |
| Liner                  | Grey                          | Grey                         | Grey                         | Orange                        |
| Sizes                  | Size 5 (XXS) - Size 12 (XXXL) | Size 6 (XS) - Size 12 (XXXL) | Size 6 (XS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) |
| Palm thickness (mm)    | 1.10 mm                       | 1.10 mm                      | 1.10 mm                      | 1.10 mm                       |
| Length                 | 24 cm                         | 24 cm                        | 25 cm                        | 24 cm                         |
| EN 388:2016 + A1:2018  | 4131A                         | 4131A                        | 4131A                        | 4131A                         |
| Touchscreen compatible | Yes                           | Yes                          | Yes                          | Yes                           |

## ALSO AVAILABLE IN THE MAXIFLEX® RANGE



### MaxiFlex® Ultimate™

The MaxiFlex® Ultimate™ has become the benchmark for precision handling in dry environments.



### MaxiFlex® Ultimate™ with AD-APT®

Now the iconic MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology from ATG®.



### MaxiFlex® Endurance™ with AD-APT®

Now the iconic MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology from ATG®.



### MaxiFlex® Cut™

MaxiFlex® Cut™ is a cut resistant MaxiFlex® that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



### MaxiFlex® Cut™ with AD-APT®

Now available with the new and improved AD-APT® Cooling Technology. MaxiFlex® Cut™ is a cut resistant MaxiFlex® that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



### MaxiFlex® Comfort™

Offering extra insulation against heat and cold through high grade soft cotton that's plated inside the liner.



### MaxiFlex® Elite™

Weighing only 14 grams the MaxiFlex® Elite™ is our lightest and thinnest MaxiFlex® when extreme dexterity is needed.



### MaxiFlex® Active™

Aloe vera and vitamin E are released while your work taking care of your hands during and after work.

### Where to use:

**MAXIFLEX® ENDURANCE™ IS DESIGNED FOR USE IN DRY ENVIRONMENTS REQUIRING PRECISION HANDLING.**



# MaxiFlex®

## ENDURANCE™

proRange®

Now the iconic MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology from ATG®. The **raised dots** on the MaxiFlex® Endurance™ offers increased cushioned for those doing repetitive jobs or carry heavy loads.

MaxiFlex® is dermatologically accredited and pre-washed prior to packaging enabling us to guarantee it "Fresh out of the pack".



**Certified to be washed.**  
**CLEAN, FRESH AND COST EFFECTIVE**

### TECHNOLOGIES INSIDE



#### Keeping hot hands cool, dry and productive

The AD-APT® Technology is activated by the movement of your hands and increased temperature within the glove, releasing a natural cooling agent that keeps your hands dry and make them cooler. It's designed to last for the duration of the glove and can be laundered.



#### 360° Breathable

**360° breathability** - Our patented micro-foam coating channels moisture and heat away from your skin to maintain an optimal hand temperature so you can work productively.

For a greater cooling effect look to use our AD-APT® Technology which works in conjunction with AIRtech®.



#### Longer use saves you money and protects the environment

MaxiFlex® has outstanding durability withstanding 18.000 abrasive cycles per millimetre thanks to the use of the DURAtch® coating technology in the coating construction. Per millimetre of coating MaxiFlex® has over twice the resistance of another other glove in its class.



#### Reduces hand fatigue

**25% thinner** - than most foam nitrile gloves on the market whilst offering twice the mechanical performance.

**Form, fit and feel** - mimics the "hand at rest", reducing hand fatigue and increasing comfort.

**Latest knitting technology** - utilised to produce smooth and rounded fingertips, improving fingertip sensitivity.

**Consistent liner penetration** - from the nitrile, leaving only the soft liner resting against the skin.



#### For a secure grip

**Optimised grip** delivered through our micro-cup finish allows for a controlled grip. GRIPtech® decreases hand fatigue and increases safety.



### CLEANLINESS GUARANTEED

We use our HandCare® Program for every single ATG® product. Not only do we make certain that all the elements used in our manufacturing process are safe for our employees, we also wash all the gloves after the production process as a further step in ensuring cleanliness. During this laundering process, we prefer the use of water that is rain-harvested, treated and continually recycled from our own water treatment facilities.

This enables us to guarantee our gloves to be "Fresh out of the pack" which is certified by Oeko-Tex® according to Standard 100. We do not use any SVHC during our manufacturing process.

And if that wasn't enough our gloves are also dermatologically accredited by the Skin Health Alliance. The Skin Health Alliance seal gives, for the first time in the safety industry, professional glove users the confidence that ATG®s full range of gloves are "dermatologically safe" and the science and research behind them is robust.

**More information about HandCare® by ATG® is available at [www.atg-glovesolutions.com](http://www.atg-glovesolutions.com).**



# MaxiFlex®

## ENDURANCE™



STANDARD  
100  
08.BH.57867  
Hohenstein HTTI  
www.oeko-tex.com



proRange®

CLEANLINESS GUARANTEED



|                        | 42-844                        | 42-845                       | 42-847                        | 42-848                        |
|------------------------|-------------------------------|------------------------------|-------------------------------|-------------------------------|
| Design                 | Palm coated knitwrist         | 3/4 coated knitwrist         | Drivers style knitwrist       | Palm coated knitwrist         |
| Coating                | Black                         | Black                        | Black                         | Black                         |
| Liner                  | Grey                          | Grey                         | Grey                          | Orange                        |
| Sizes                  | Size 5 (XXS) - Size 12 (XXXL) | Size 6 (XS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) |
| Palm thickness (mm)    | 1.10 mm                       | 1.10 mm                      | 1.10 mm                       | 1.10 mm                       |
| Length                 | 24 cm                         | 24 cm                        | 25 cm                         | 24 cm                         |
| EN 388:2016 + A1:2018  | 4131A                         | 4131A                        | 4131A                         | 4131A                         |
| Touchscreen compatible | Yes                           | Yes                          | Yes                           | Yes                           |

## ALSO AVAILABLE IN THE MAXIFLEX® RANGE



### MaxiFlex® Ultimate™

The MaxiFlex® Ultimate™ has become the benchmark for precision handling in dry environments.



### MaxiFlex® Ultimate™ with AD-APT®

Now the iconic MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology from ATG®.



### MaxiFlex® Endurance™

The raised dots on the MaxiFlex® Endurance™ offers increased cushioned for those doing repetitive jobs or carry heavy loads.



### MaxiFlex® Cut™

MaxiFlex® Cut™ is a cut resistant MaxiFlex® that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



### MaxiFlex® Cut™ with AD-APT®

Now available with the new and improved AD-APT® Cooling Technology. MaxiFlex® Cut™ is a cut resistant MaxiFlex® that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



### MaxiFlex® Comfort™

Offering extra insulation against heat and cold through high grade soft cotton that's plated inside the liner.



### MaxiFlex® Elite™

Weighing only 14 grams the MaxiFlex® Elite™ is our lightest and thinnest MaxiFlex® when extreme dexterity is needed.



### MaxiFlex® Active™

Aloe vera and vitamin E are released while your work taking care of your hands during and after work.

### Where to use:

**MAXIFLEX® ENDURANCE™ IS DESIGNED FOR USE IN DRY ENVIRONMENTS REQUIRING PRECISION HANDLING.**



# MaxiFlex<sup>®</sup>

## CUT<sup>™</sup>

MaxiFlex<sup>®</sup> Cut<sup>™</sup> is a cut resistant MaxiFlex<sup>®</sup> that remains super thin, flexible, dexterous and comfortable. It's also DMF free and free from SVHCs (REACH).

MaxiFlex<sup>®</sup> is dermatologically accredited and pre-washed prior to packaging enabling us to guarantee it "Fresh out of the pack".



*Certified to be washed.  
CLEAN, FRESH AND COST EFFECTIVE*

## TECHNOLOGIES INSIDE



**CUTtech<sup>®</sup>**

**Comfortable cut protection**

**Innovative fibres** - CUTtech<sup>®</sup> combines and blends high performance yarns and fibres to impart different levels of cut protection with the driving philosophy to deliver high levels of comfort and wearer satisfaction.

**Reinforcement** - between the thumb and forefinger, improves cut resistance and extends glove life in an inherently weak area.



**AIRtech<sup>®</sup>**

**360° Breathable**

**360° breathability** - Our patented micro-foam coating channels moisture and heat away from your skin to maintain an optimal hand temperature so you can work productively.

For a greater cooling effect look to use our AD-APT<sup>®</sup> Technology which works in conjunction with AIRtech<sup>®</sup>.



**DURAtch<sup>®</sup>**

**Longer use saves you money and protects the environment**

MaxiFlex<sup>®</sup> has outstanding durability withstanding 18.000 abrasive cycles per millimetre thanks to the use of the DURAtch<sup>®</sup> coating technology in the coating construction. Per millimetre of coating MaxiFlex<sup>®</sup> has over twice the resistance of another other glove in its class.



**ERGotech<sup>®</sup>**

**Reduces hand fatigue**

**25% thinner** - than most foam nitrile gloves on the market whilst offering twice the mechanical performance.

**Form, fit and feel** - mimics the "hand at rest", reducing hand fatigue and increasing comfort.

**Latest knitting technology** - utilised to produce smooth and rounded fingertips, improving fingertip sensitivity.

**Consistent liner penetration** - from the nitrile, leaving only the soft liner resting against the skin.



proRange<sup>®</sup>



## CLEANLINESS GUARANTEED

We use our HandCare<sup>®</sup> Program for every single ATG<sup>®</sup> product. Not only do we make certain that all the elements used in our manufacturing process are safe for our employees, we also wash all the gloves after the production process as a further step in ensuring cleanliness. During this laundering process, we prefer the use of water that is rain-harvested, treated and continually recycled from our own water treatment facilities.

This enables us to guarantee our gloves to be "Fresh out of the pack" which is certified by Oeko-Tex<sup>®</sup> according to Standard 100. We do not use any SVHC during our manufacturing process.

And if that wasn't enough our gloves are also dermatologically accredited by the Skin Health Alliance. The Skin Health Alliance seal gives, for the first time in the safety industry, professional glove users the confidence that ATG<sup>®</sup>'s full range of gloves are "dermatologically safe" and the science and research behind them is robust.

**More information about HandCare<sup>®</sup> by ATG<sup>®</sup> is available at [www.atg-glovesolutions.com](http://www.atg-glovesolutions.com).**



## CLEANLINESS GUARANTEED



|                        | 34-8743                      | 34-8743FY                    | 34-8753                      | 34-8443                       | 34-8453                       | 34-1743                     |
|------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|-----------------------------|
| Design                 | Palm coated knitwrist        | Palm coated knitwrist        | 3/4 coated knitwrist         | Palm coated knitwrist         | 3/4 coated knitwrist          | Palm coated knitwrist       |
| Coating                | Black                        | Yellow                       | Black                        | Black                         | Black                         | Black                       |
| Liner                  | Green                        | Yellow                       | Green                        | Green                         | Green                         | Black                       |
| Sizes                  | Size 6 (XS) - Size 12 (XXXL) | Size 6 (XS) - Size 12 (XXXL) | Size 6 (XS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) | Size 6 (XS) - Size 11 (XXL) |
| Palm thickness (mm)    | 0.80 mm                      | 0.80 mm                      | 0.80 mm                      | 0.90 mm                       | 0.90 mm                       | 1.10 mm                     |
| Length                 | 25.5 cm                      | 25 cm                        | 25.5 cm                      | 25.5 cm                       | 25.5 cm                       | 26.5 cm                     |
| EN 388:2016 + A1:2018  | 4331B                        | 4331B                        | 4331B                        | 4331B                         | 4331B                         | 4331D                       |
| EN 407:2020            |                              |                              |                              |                               |                               | X1XXXX                      |
| Silicone free          | Yes                          | Yes                          | Yes                          | No                            | No                            | Yes                         |
| Touchscreen compatible | Yes                          | No                           | Yes                          | Yes                           | Yes                           | Yes                         |

## ALSO AVAILABLE IN THE MAXIFLEX<sup>®</sup> RANGE



### MaxiFlex<sup>®</sup> Ultimate<sup>™</sup>

The MaxiFlex<sup>®</sup> Ultimate<sup>™</sup> has become the benchmark for precision handling in dry environments.



### MaxiFlex<sup>®</sup> Ultimate<sup>™</sup> with AD-APT<sup>®</sup>

Now the iconic MaxiFlex<sup>®</sup> gets even better thanks to the inclusion of the new AD-APT<sup>®</sup> Cooling Technology from ATG<sup>®</sup>.



### MaxiFlex<sup>®</sup> Endurance<sup>™</sup>

The raised dots on the MaxiFlex<sup>®</sup> Endurance<sup>™</sup> offers increased cushioned for those doing repetitive jobs or carry heavy loads.



### MaxiFlex<sup>®</sup> Endurance<sup>™</sup> with AD-APT<sup>®</sup>

Now the iconic MaxiFlex<sup>®</sup> gets even better thanks to the inclusion of the new AD-APT<sup>®</sup> Cooling Technology from ATG<sup>®</sup>.



### MaxiFlex<sup>®</sup> Cut<sup>™</sup> with AD-APT<sup>®</sup>

Now available with the new and improved AD-APT<sup>®</sup> Cooling Technology. MaxiFlex<sup>®</sup> Cut<sup>™</sup> is a cut resistant MaxiFlex<sup>®</sup> that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



### MaxiFlex<sup>®</sup> Comfort<sup>™</sup>

Offering extra insulation against heat and cold through high grade soft cotton that's plated inside the liner.



### MaxiFlex<sup>®</sup> Elite<sup>™</sup>

Weighing only 14 grams the MaxiFlex<sup>®</sup> Elite<sup>™</sup> is our lightest and thinnest MaxiFlex<sup>®</sup> when extreme dexterity is needed.



### MaxiFlex<sup>®</sup> Active<sup>™</sup>

Aloe vera and vitamin E are released while your work taking care of your hands during and after work.

### Where to use:

**MAXIFLEX<sup>®</sup> CUT<sup>™</sup> IS DESIGNED FOR USE IN DRY ENVIRONMENTS REQUIRING PRECISION HANDLING WITH AN INCREASED RISK OF CUT.**

# MaxiFlex<sup>®</sup>

## CUT<sup>™</sup>

proRange<sup>®</sup>

MaxiFlex<sup>®</sup> Cut<sup>™</sup> is a cut resistant MaxiFlex<sup>®</sup> that remains super thin, flexible, dexterous and comfortable. It's also DMF free and free from SVHCs (REACH).

MaxiFlex<sup>®</sup> is dermatologically accredited and pre-washed prior to packaging enabling us to guarantee it "Fresh out of the pack".



**Certified to be washed.**  
**CLEAN, FRESH AND COST EFFECTIVE**

## TECHNOLOGIES INSIDE



### Keeping hot hands cool, dry and productive

The AD-APT<sup>®</sup> Technology is activated by the movement of your hands and increased temperature within the glove, releasing a natural cooling agent that keeps your hands dry and make them cooler. It's designed to last for the duration of the glove and can be laundered.



**CUTtech<sup>®</sup>**

### Comfortable cut protection

**Innovative fibres** - CUTtech<sup>®</sup> combines and blends high performance yarns and fibres to impart different levels of cut protection with the driving philosophy to deliver high levels of comfort and wearer satisfaction.

**Reinforcement** - between the thumb and forefinger, improves cut resistance and extends glove life in an inherently weak area.



**AIRtech<sup>®</sup>**

### 360° Breathable

**360° breathability** - Our patented micro-foam coating channels moisture and heat away from your skin to maintain an optimal hand temperature so you can work productively.

For a greater cooling effect look to use our AD-APT<sup>®</sup> Technology which works in conjunction with AIRtech<sup>®</sup>.



**DURAtch<sup>®</sup>**

### Longer use saves you money and protects the environment

MaxiFlex<sup>®</sup> has outstanding durability withstanding 18.000 abrasive cycles per millimetre thanks to the use of the DURAtch<sup>®</sup> coating technology in the coating construction. Per millimetre of coating MaxiFlex<sup>®</sup> has over twice the resistance of another other glove in its class.



**ERGotech<sup>®</sup>**

### Reduces hand fatigue

**25% thinner** - than most foam nitrile gloves on the market whilst offering twice the mechanical performance.

**Form, fit and feel** - mimics the "hand at rest" reducing hand fatigue



## CLEANLINESS GUARANTEED

We use our HandCare<sup>®</sup> Program for every single ATG<sup>®</sup> product. Not only do we make certain that all the elements used in our manufacturing process are safe for our employees, we also wash all the gloves after the production process as a further step in ensuring cleanliness. During this laundering process, we prefer the use of water that is rain-harvested, treated and continually recycled from our own water treatment facilities.

This enables us to guarantee our gloves to be "Fresh out of the pack" which is certified by Oeko-Tex<sup>®</sup> according to Standard 100. We do not use any SVHC during our manufacturing process.

And if that wasn't enough our gloves are also dermatologically accredited by the Skin Health Alliance. The Skin Health Alliance seal gives, for the first time in the safety industry, professional glove users the confidence that ATG<sup>®</sup>'s full range of gloves are "dermatologically safe" and the science and research behind them is robust.

**More information about HandCare<sup>®</sup> by ATG<sup>®</sup> is available at [www.atg-glovesolutions.com](http://www.atg-glovesolutions.com).**



# MaxiFlex<sup>®</sup>

## CUT<sup>™</sup>





STANDARD  
100  
08.BH.57867  
Hohenstein HTTI  
www.oeko-tex.com



proRange<sup>®</sup>

CLEANLINESS GUARANTEED



|  | 42-8743                      | 42-8753                      | 42-8443                       | 42-8453                       |
|--|------------------------------|------------------------------|-------------------------------|-------------------------------|
| Design   | Palm coated knitwrist        | 3/4 coated knitwrist         | Palm coated knitwrist         | 3/4 coated knitwrist          |
| Coating  | Black                        | Black                        | Black                         | Black                         |
| Liner  | Green                        | Green                        | Green                         | Green                         |
| Sizes  | Size 6 (XS) - Size 12 (XXXL) | Size 6 (XS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) |
| Palm thickness (mm)  | 0.80 mm                      | 0.80 mm                      | 0.90 mm                       | 0.90 mm                       |
| Length   | 25.5 cm                      | 25.5 cm                      | 25.5 cm                       | 25.5 cm                       |
| EN 388:2016 + A1:2018     | 4331B                        | 4331B                        | 4331B                         | 4331B                         |
| Silicone free  | Yes                          | Yes                          | No                            | No                            |
| Touchscreen compatible  | Yes                          | Yes                          | Yes                           | Yes                           |

## ALSO AVAILABLE IN THE MAXIFLEX<sup>®</sup> RANGE



### MaxiFlex<sup>®</sup> Ultimate<sup>™</sup>

The MaxiFlex<sup>®</sup> Ultimate<sup>™</sup> has become the benchmark for precision handling in dry environments.



### MaxiFlex<sup>®</sup> Ultimate<sup>™</sup> with AD-APT<sup>®</sup>

Now the iconic MaxiFlex<sup>®</sup> gets even better thanks to the inclusion of the new AD-APT<sup>®</sup> Cooling Technology from ATG<sup>®</sup>.



### MaxiFlex<sup>®</sup> Endurance<sup>™</sup>

The raised dots on the MaxiFlex<sup>®</sup> Endurance<sup>™</sup> offers increased cushioned for those doing repetitive jobs or carry heavy loads.



### MaxiFlex<sup>®</sup> Endurance<sup>™</sup> with AD-APT<sup>®</sup>

Now the iconic MaxiFlex<sup>®</sup> gets even better thanks to the inclusion of the new AD-APT<sup>®</sup> Cooling Technology from ATG<sup>®</sup>.



### MaxiFlex<sup>®</sup> Cut<sup>™</sup>

MaxiFlex<sup>®</sup> Cut<sup>™</sup> is a cut resistant MaxiFlex<sup>®</sup> that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



### MaxiFlex<sup>®</sup> Comfort<sup>™</sup>

Offering extra insulation against heat and cold through high grade soft cotton that's plated inside the liner.



### MaxiFlex<sup>®</sup> Elite<sup>™</sup>

Weighing only 14 grams the MaxiFlex<sup>®</sup> Elite<sup>™</sup> is our lightest and thinnest MaxiFlex<sup>®</sup> when extreme dexterity is needed.



### MaxiFlex<sup>®</sup> Active<sup>™</sup>

Aloe vera and vitamin E are released while your work taking care of your hands during and after work.

Where to use:

**MAXIFLEX<sup>®</sup> CUT<sup>™</sup> IS DESIGNED FOR USE IN DRY ENVIRONMENTS REQUIRING PRECISION HANDLING WITH AN INCREASED RISK OF CUT.**



# MaxiFlex<sup>®</sup>

## COMFORT<sup>™</sup>

Offering extra insulation against heat and cold through high grade soft cotton that's plated inside the liner.

MaxiFlex<sup>®</sup> is dermatologically accredited and pre-washed prior to packaging enabling us to guarantee it "Fresh out of the pack".



*Certified to be washed.  
CLEAN, FRESH AND COST EFFECTIVE*

### TECHNOLOGIES INSIDE



**AIRtech<sup>®</sup>**

#### 360° Breathable

**360° breathability** - Our patented micro-foam coating channels moisture and heat away from your skin to maintain an optimal hand temperature so you can work productively.

For a greater cooling effect look to use our AD-APT<sup>®</sup> Technology which works in conjunction with AIRtech<sup>®</sup>.



**ERGotech<sup>®</sup>**

#### Reduces hand fatigue

**25% thinner** - than most foam nitrile gloves on the market whilst offering twice the mechanical performance.

**Form, fit and feel** - mimics the "hand at rest", reducing hand fatigue and increasing comfort.

**Latest knitting technology** - utilised to produce smooth and rounded fingertips, improving fingertip sensitivity.

**Consistent liner penetration** - from the nitrile, leaving only the soft liner resting against the skin.



**GRIPtech<sup>®</sup>**

#### For a secure grip

**Optimised grip** delivered through our micro-cup finish allows for a controlled grip. GRIPtech<sup>®</sup> decreases hand fatigue and increases safety.



proRange<sup>®</sup>



### CLEANLINESS GUARANTEED

We use our HandCare<sup>®</sup> Program for every single ATG<sup>®</sup> product. Not only do we make certain that all the elements used in our manufacturing process are safe for our employees, we also wash all the gloves after the production process as a further step in ensuring cleanliness. During this laundering process, we prefer the use of water that is rain-harvested, treated and continually recycled from our own water treatment facilities.

This enables us to guarantee our gloves to be "Fresh out of the pack" which is certified by Oeko-Tex<sup>®</sup> according to Standard 100. We do not use any SVHC during our manufacturing process.

And if that wasn't enough our gloves are also dermatologically accredited by the Skin Health Alliance. The Skin Health Alliance seal gives, for the first time in the safety industry, professional glove users the confidence that ATG<sup>®</sup>'s full range of gloves are "dermatologically safe" and the science and research behind them is robust.

*More information about HandCare<sup>®</sup> by ATG<sup>®</sup> is available at [www.atg-glovesolutions.com](http://www.atg-glovesolutions.com).*



## CLEANLINESS GUARANTEED



|                               | 34-924                        | 34-925                        | 34-926                        |
|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| <b>Design</b>                 | Palm coated knitwrist         | 3/4 coated knitwrist          | Fully coated knitwrist        |
| <b>Coating</b>                | Cobalt blue                   | Cobalt blue                   | Cobalt blue                   |
| <b>Liner</b>                  | Light grey                    | Light grey                    | Light grey                    |
| <b>Sizes</b>                  | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) |
| <b>Palm thickness (mm)</b>    | 1.10 mm                       | 1.10 mm                       | 1.10 mm                       |
| <b>Length</b>                 | 24 cm                         | 24.5 cm                       | 24.5 cm                       |
| <b>EN 388:2016 + A1:2018</b>  | 3121A                         | 3121A                         | 3121A                         |
| <b>EN 407:2020</b>            | X1XXXX                        | X1XXXX                        | X1XXXX                        |
| <b>Silicone free</b>          | Yes                           | Yes                           | Yes                           |
| <b>Touchscreen compatible</b> | Yes                           | Yes                           | Yes                           |

## ALSO AVAILABLE IN THE MAXIFLEX® RANGE



### MaxiFlex® Ultimate™

The MaxiFlex® Ultimate™ has become the benchmark for precision handling in dry environments.



### MaxiFlex® Ultimate™ with AD-APT®

Now the iconic MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology from ATG®.



### MaxiFlex® Endurance™

The raised dots on the MaxiFlex® Endurance™ offers increased cushioned for those doing repetitive jobs or carry heavy loads.



### MaxiFlex® Endurance™ with AD-APT®

Now the iconic MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology from ATG®.



### MaxiFlex® Cut™

MaxiFlex® Cut™ is a cut resistant MaxiFlex® that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



### MaxiFlex® Cut™ with AD-APT®

Now available with the new and improved AD-APT® Cooling Technology. MaxiFlex® Cut™ is a cut resistant MaxiFlex® that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



### MaxiFlex® Elite™

Weighing only 14 grams the MaxiFlex® Elite™ is our lightest and thinnest MaxiFlex® when extreme dexterity is needed.



### MaxiFlex® Active™

Aloe vera and vitamin E are released while your work taking care of your hands during and after work.

### Where to use:

**MAXIFLEX® COMFORT™ IS DESIGNED FOR USE IN DRY ENVIRONMENTS REQUIRING PRECISION HANDLING.**

# MaxiFlex®

## ELITE™

proRange®

Weighing only 14 grams the MaxiFlex® Elite™ is our lightest and thinnest MaxiFlex® when extreme dexterity is needed.

MaxiFlex® is dermatologically accredited and pre-washed prior to packaging enabling us to guarantee it "Fresh out of the pack".



**Certified to be washed.**  
**CLEAN, FRESH AND COST EFFECTIVE**

### TECHNOLOGIES INSIDE



#### 360° Breathable

**Even more efficient breathability** - the heat from your hand travels quicker through the breathable surface due to it being 35% thinner than any other traditional foam gloves enabling it to breathe 40% more efficiently than similar gloves.

**360° breathability** - Our patented micro-foam coating channels moisture and heat away from your skin to maintain an optimal hand temperature so you can work productively.

For a greater cooling effect look to use our AD-APT® Technology which works in conjunction with AIRtech®.



#### Longer use saves you money and protects the environment

MaxiFlex® has outstanding durability withstanding 12.000 abrasive cycles per millimetre thanks to the use of the DURAtch® coating technology in the coating construction. Per millimetre of coating MaxiFlex® has over twice the resistance of another other glove in its class.



#### Reduces hand fatigue

**30% thinner** - than traditional foam nitrile gloves on the market whilst offering similar mechanical performance to traditional foam nitrile gloves.

**Ultra light weight liner** - the use of an ultra light liner utilized to produce smooth and rounded fingertips, maximising fingertip sensitivity.

**Form, fit and feel** - mimics the "hand at rest", reducing hand fatigue and increasing comfort.

**Consistent liner penetration** - from the nitrile, leaving only the soft liner resting against the skin.



#### For a secure grip

**Optimised grip** delivered through our micro-cup finish allows for a controlled grip. GRIPtech® decreases hand fatigue and increases safety.



### CLEANLINESS GUARANTEED

We use our HandCare® Program for every single ATG® product. Not only do we make certain that all the elements used in our manufacturing process are safe for our employees, we also wash all the gloves after the production process as a further step in ensuring cleanliness. During this laundering process, we prefer the use of water that is rain-harvested, treated and continually recycled from our own water treatment facilities.

This enables us to guarantee our gloves to be "Fresh out of the pack" which is certified by Oeko-Tex® according to Standard 100. We do not use any SVHC during our manufacturing process.

And if that wasn't enough our gloves are also dermatologically accredited by the Skin Health Alliance. The Skin Health Alliance seal gives, for the first time in the safety industry, professional glove users the confidence that ATG®s full range of gloves are "dermatologically safe" and the science and research behind them is robust.

**More information about HandCare® by ATG® is available at [www.atg-glovesolutions.com](http://www.atg-glovesolutions.com).**



## CLEANLINESS GUARANTEED



|                               | 34-274                        | 34-275                        | 34-244                        | 34-774B  |
|-------------------------------|-------------------------------|-------------------------------|-------------------------------|--|
| <b>Design</b>                 | Palm coated knitwrist         | 3/4 coated knitwrist          | Palm coated knitwrist         | Palm coated knitwrist                                |
| <b>Coating</b>                | Dark blue                     | Dark blue                     | Dark blue                     | Black  |
| <b>Liner</b>                  | Dark blue                     | Dark blue                     | Dark blue                     | Light grey   |
| <b>Sizes</b>                  | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL)                        |
| <b>Palm thickness (mm)</b>    | 0.80 mm                       | 0.80 mm                       | 0.90 mm                       | 0.75 mm  |
| <b>Length</b>                 | 24 cm                         | 24.5 cm                       | 25 cm                         | 23.5 cm  |
| <b>EN 388:2016 + A1:2018</b>  | 4121A                         | 4121A                         | 4121A                         | 4121A  |
| <b>EN 16350:2014</b>          |                               |                               |                               | Vertical resistance $R_v < 1,0 \times 10^8 \Omega$ . |
| <b>Silicone free</b>          | Yes                           | Yes                           | No                            | Yes  |
| <b>Touchscreen compatible</b> | Yes                           | Yes                           | Yes                           | Yes  |

## ALSO AVAILABLE IN THE MAXIFLEX® RANGE



### MaxiFlex® Ultimate™

The MaxiFlex® Ultimate™ has become the benchmark for precision handling in dry environments.



### MaxiFlex® Ultimate™ with AD-APT®

Now the iconic MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology from ATG®.



### MaxiFlex® Endurance™

The raised dots on the MaxiFlex® Endurance™ offers increased cushioned for those doing repetitive jobs or carry heavy loads.



### MaxiFlex® Endurance™ with AD-APT®

Now the iconic MaxiFlex® gets even better thanks to the inclusion of the new AD-APT® Cooling Technology from ATG®.



### MaxiFlex® Cut™

MaxiFlex® Cut™ is a cut resistant MaxiFlex® that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



### MaxiFlex® Cut™ with AD-APT®

Now available with the new and improved AD-APT® Cooling Technology. MaxiFlex® Cut™ is a cut resistant MaxiFlex® that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



### MaxiFlex® Comfort™

Offering extra insulation against heat and cold through high grade soft cotton that's plated inside the liner.



### MaxiFlex® Active™

Aloe vera and vitamin E are released while your work taking care of your hands during and after work.

### Where to use:

**MAXIFLEX® ELITE™ IS DESIGNED FOR USE IN DRY ENVIRONMENTS REQUIRING PRECISION HANDLING.**



# MaxiFlex<sup>®</sup>

ACTIVE<sup>™</sup>

proRange<sup>®</sup>

Aloe vera and vitamin E are released while your work taking care of your hands during and after work.

MaxiFlex<sup>®</sup> is dermatologically accredited and pre-washed prior to packaging enabling us to guarantee it "Fresh out of the pack".



**Certified to be washed.**  
**CLEAN, FRESH AND COST EFFECTIVE**

## TECHNOLOGIES INSIDE



### 360° Breathable

**360° breathability** - Our patented micro-foam coating channels moisture and heat away from your skin to maintain an optimal hand temperature so you can work productively.

For a greater cooling effect look to use our AD-APT<sup>®</sup> Technology which works in conjunction with AIRtech<sup>®</sup>.



### Longer use saves you money and protects the environment

MaxiFlex<sup>®</sup> has outstanding durability withstanding 12.000 abrasive cycles per millimetre thanks to the use of the DURAtch<sup>®</sup> coating technology in the coating construction. Per millimetre of coating MaxiFlex<sup>®</sup> has over twice the resistance of another other glove in its class.



### Reduces hand fatigue

**25% thinner** - than most foam nitrile gloves on the market whilst offering twice the mechanical performance.

**Form, fit and feel** - mimics the "hand at rest", reducing hand fatigue and increasing comfort.

**Latest knitting technology** - utilised to produce smooth and rounded fingertips, improving fingertip sensitivity.

**Consistent liner penetration** - from the nitrile, leaving only the soft liner resting against the skin.



### For a secure grip

**Optimised grip** delivered through our micro-cup finish allows for a controlled grip. GRIPtech<sup>®</sup> decreases hand fatigue and increases safety.



## CLEANLINESS GUARANTEED

We use our HandCare<sup>®</sup> Program for every single ATG<sup>®</sup> product. Not only do we make certain that all the elements used in our manufacturing process are safe for our employees, we also wash all the gloves after the production process as a further step in ensuring cleanliness. During this laundering process, we prefer the use of water that is rain-harvested, treated and continually recycled from our own water treatment facilities.

This enables us to guarantee our gloves to be "Fresh out of the pack" which is certified by Oeko-Tex<sup>®</sup> according to Standard 100. We do not use any SVHC during our manufacturing process.

And if that wasn't enough our gloves are also dermatologically accredited by the Skin Health Alliance. The Skin Health Alliance seal gives, for the first time in the safety industry, professional glove users the confidence that ATG<sup>®</sup>'s full range of gloves are "dermatologically safe" and the science and research behind them is robust.

**More information about HandCare<sup>®</sup> by ATG<sup>®</sup> is available at [www.atg-glovesolutions.com](http://www.atg-glovesolutions.com).**



## CLEANLINESS GUARANTEED



|                        | 34-814                        | 34-824                        |
|------------------------|-------------------------------|-------------------------------|
| Design                 | Palm coated knitwrist         | Palm coated knitwrist         |
| Coating                | Rose                          | Light blue                    |
| Liner                  | Rose                          | Light blue                    |
| Sizes                  | Size 5 (XXS) - Size 12 (XXXL) | Size 5 (XXS) - Size 12 (XXXL) |
| Palm thickness (mm)    | 1.00 mm                       | 1.00 mm                       |
| Length                 | 23 cm                         | 24 cm                         |
| EN 388:2016 + A1:2018  | 4131A                         | 4131A                         |
| Silicone free          | Yes                           | Yes                           |
| Touchscreen compatible | Yes                           | Yes                           |

## ALSO AVAILABLE IN THE MAXIFLEX<sup>®</sup> RANGE



### MaxiFlex<sup>®</sup> Ultimate<sup>™</sup>

The MaxiFlex<sup>®</sup> Ultimate<sup>™</sup> has become the benchmark for precision handling in dry environments.



### MaxiFlex<sup>®</sup> Ultimate<sup>™</sup> with AD-APT<sup>®</sup>

Now the iconic MaxiFlex<sup>®</sup> gets even better thanks to the inclusion of the new AD-APT<sup>®</sup> Cooling Technology from ATG<sup>®</sup>.



### MaxiFlex<sup>®</sup> Endurance<sup>™</sup>

The raised dots on the MaxiFlex<sup>®</sup> Endurance<sup>™</sup> offers increased cushioned for those doing repetitive jobs or carry heavy loads.



### MaxiFlex<sup>®</sup> Endurance<sup>™</sup> with AD-APT<sup>®</sup>

Now the iconic MaxiFlex<sup>®</sup> gets even better thanks to the inclusion of the new AD-APT<sup>®</sup> Cooling Technology from ATG<sup>®</sup>.



### MaxiFlex<sup>®</sup> Cut<sup>™</sup>

MaxiFlex<sup>®</sup> Cut<sup>™</sup> is a cut resistant MaxiFlex<sup>®</sup> that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



### MaxiFlex<sup>®</sup> Cut<sup>™</sup> with AD-APT<sup>®</sup>

Now available with the new and improved AD-APT<sup>®</sup> Cooling Technology. MaxiFlex<sup>®</sup> Cut<sup>™</sup> is a cut resistant MaxiFlex<sup>®</sup> that remains super thin, flexible, dexterous and comfortable. It's also **DMF free** and free from SVHCs (REACH).



### MaxiFlex<sup>®</sup> Comfort<sup>™</sup>

Offering extra insulation against heat and cold through high grade soft cotton that's plated inside the liner.



### MaxiFlex<sup>®</sup> Elite<sup>™</sup>

Weighing only 14 grams the MaxiFlex<sup>®</sup> Elite<sup>™</sup> is our lightest and thinnest MaxiFlex<sup>®</sup> when extreme dexterity is needed.

### Where to use:

**MAXIFLEX<sup>®</sup> ACTIVE<sup>™</sup> IS DESIGNED FOR USE IN DRY ENVIRONMENTS REQUIRING PRECISION HANDLING.**