


# PRODUCT DATA SHEET

## MaxiFlex® Ultimate™ with AD-APT® 42-874



Colour – Coating	Black
Colour – Liner	Grey
Design	Palm coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam for Controlled Grip
Liner	Nylon, Spandex
Palm thickness (mm)	1.00



### Dimensions

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Total glove length (+/- 5 mm)	185	195	205	215	220	225	230	240
Wrist length (mm)	55	60	65	65	70	70	70	75
Wrist width (mm)	65	65	65	70	75	75	80	80
Palm width (mm)	75	80	82	87	94	97	100	105
Over lock colour	Purple	Blue	Red	Orange	White	Yellow	Black	Green

### EN Test Results

Test	Notified body	Result/Pass
EN ISO 21420:2020+A1:2024	TÜV Rheinland	Yes
EN 388:2016 + A1:2018	TÜV Rheinland	4131A
EN 16350:2014	TÜV Rheinland	Vertical resistance $R_v < 1,0 \times 10^8 \Omega$ .

### Typical Performance Values

EN ISO 21420: General requirements Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 1.2 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 50 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 20 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 2 Newton

# PRODUCT DATA SHEET

## MaxiFlex® Ultimate™ with AD-APT® 42-874

### HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
OEKO-TEX® Standard 100 - 08.BH.57867 Hohenstein HTTI	Certified
Washable	40°C/104°F
Sanitized®	Yes



### Special features

Silicone free	Yes
Touchscreen compatible	Yes



### Packaging

Pairs per poly bag	12
Poly bags per carton	12
Carton count	144
Carton dimensions (mm)	500 x 295 x 270

### Weight

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Glove weight / pair (+/- 6 gram)	28	30	34	40	42	44	46	50
Gross weight (kg)	5	5.3	5.9	6.7	7	7.3	7.6	8.2
Carton weight (kg)	1	1	1	1	1	1	1	1
Net weight (kg)	4.0	4.3	4.9	5.7	6.0	6.3	6.6	7.2

Issue date: 21/10/2025

