

# PRODUCT DATA SHEET

## MaxiFlex® Ultimate™ 34-874



|                     |                                |
|---------------------|--------------------------------|
| Colour – Coating    | Black                          |
| Colour – Liner      | Grey                           |
| Design              | Palm coated knitwrist          |
| Coating             | NBR (Nitrile Butadiene Rubber) |
| Coating texture     | Micro-Foam for Controlled Grip |
| Liner               | Nylon, Spandex                 |
| Patent number       | EP 1 608 808                   |
| Palm thickness (mm) | 1.00                           |



### Dimensions

| Size Range                    | Size 5 (XXS) | Size 6 (XS) | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) | Size 12 (XXXL) |
|-------------------------------|--------------|-------------|------------|------------|------------|--------------|---------------|----------------|
| Total glove length (+/- 5 mm) | 185          | 195         | 205        | 215        | 220        | 225          | 230           | 240            |
| Wrist length (mm)             | 55           | 60          | 65         | 65         | 70         | 70           | 70            | 75             |
| Wrist width (mm)              | 65           | 65          | 65         | 70         | 75         | 75           | 80            | 80             |
| Palm width (mm)               | 75           | 80          | 82         | 87         | 94         | 97           | 100           | 105            |
| Over lock colour              | Purple       | Blue        | Red        | Orange     | White      | Yellow       | Black         | Green          |

### EN Test Results

| Test                       | Notified body | Result/Pass  |
|----------------------------|---------------|--|
| EN ISO 21420: 2020+A1:2024 | TÜV Rheinland | Yes  |
| EN 388:2016 + A1:2018      | TÜV Rheinland | 4131A  |
| EN 16350:2014              | TÜV Rheinland | Vertical resistance $R_v < 1,0 \times 10^8 \Omega$ . |

### Typical Performance Values

|  |                 |
|--|-----------------|
| EN ISO 21420: General requirements Dexterity | Level 5         |
| EN 388:2016 + A1:2018 A. Abrasion Resistance | > 8000 Cycles   |
| EN 388:2016 + A1:2018 B. Cut Resistance      | > 1.2 index     |
| EN 388:2016 + A1:2018 C. Tear Resistance     | > 50 newtons    |
| EN 388:2016 + A1:2018 D. Puncture Resistance | > 20 newtons    |
| EN 388:2016 + A1:2018 E. Cut Resistance ISO  | $\geq 2$ Newton |

# PRODUCT DATA SHEET

## MaxiFlex® Ultimate™ 34-874

### HandCare®

|  |            |
|--|------------|
| Skin Health Alliance Dermatologically Accredited     | Yes        |
| REACH compliant                                      | Yes        |
| OEKO-TEX® Standard 100 - 08.BH.57867 Hohenstein HTTI | Certified  |
| Washable   | 40°C/104°F |
| Sanitized®   | Yes        |



### Special features

|                        |     |
|------------------------|-----|
| Silicone free          | Yes |
| FDA compliant          | Yes |
| Touchscreen compatible | Yes |
| Food contact (EU)      | Yes |



### Packaging

|                        |                 |
|------------------------|-----------------|
| Pairs per poly bag     | 12              |
| Poly bags per carton   | 12              |
| Carton count           | 144             |
| Carton dimensions (mm) | 500 x 295 x 270 |

### Weight

| Size Range                       | Size 5 (XXS) | Size 6 (XS) | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) | Size 12 (XXXL) |
|----------------------------------|--------------|-------------|------------|------------|------------|--------------|---------------|----------------|
| Glove weight / pair (+/- 6 gram) | 28           | 30          | 34         | 40         | 42         | 44           | 46            | 50             |
| Gross weight (kg)                | 5            | 5.3         | 5.9        | 6.7        | 7          | 7.3          | 7.6           | 8.2            |
| Carton weight (kg)               | 1            | 1           | 1          | 1          | 1          | 1            | 1             | 1              |
| Net weight (kg)                  | 4.0          | 4.3         | 4.9        | 5.7        | 6.0        | 6.3          | 6.6           | 7.2            |

# PRODUCT DATA SHEET

## MaxiFlex® Ultimate™ 34-874

Issue date: 21/10/2025

