

PRODUCT DATA SHEET

MaxiDex® Elite™ with AD-APT® 27-208



Colour – Coating	Black
Colour – Liner	White
Design	Gauntlet - 27 cm
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam with Non-Slip Grip
Liner	Nylon
Patent number	GB 2635597
Palm thickness (mm)	0.50



Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/- 5 mm)	270	270	270	270	270	270
Palm width (mm)	92	96	102	107	112	116
Over lock colour	Blue	Red	Orange	White	Yellow	Green

EN Test Results

Test	Notified body	Result/Pass
EN ISO 21420:2020+A1:2024	SATRA IRE	Yes
EN 388:2016 + A1:2018	SATRA IRE	2000X
EN ISO 374-1:2016 + A1:2018/Type C	SATRA IRE	
EN ISO 374-5:2016	SATRA IRE	Yes

PRODUCT DATA SHEET

MaxiDex® Elite™ with AD-APT® 27-208

Typical Performance Values

EN ISO 21420: General requirements Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 500 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	Mechanical Hazards <ul style="list-style-type: none">• A: Abrasion resistance - number of rubs (Level 0-4)• B: Blade cut resistance - Coupe Test - Index (Level 0-5)• C: Tear resistance - N (Level 0-4)• D: Puncture resistance - N (Level 0-4)• E: TDM Cut resistance according to ISO 13997 - N (Level A-F)*• F: Impact protection according to EN 13594:2015 - Y/N (P=Yes) <p><i>* coupe test results are only indicative while the TDM cut resistance test (ISO13997) is the reference performance result.</i></p>
EN 388:2016 + A1:2018 C. Tear Resistance	Mechanical Hazards <ul style="list-style-type: none">• A: Abrasion resistance - number of rubs (Level 0-4)• B: Blade cut resistance - Coupe Test - Index (Level 0-5)• C: Tear resistance - N (Level 0-4)• D: Puncture resistance - N (Level 0-4)• E: TDM Cut resistance according to ISO 13997 - N (Level A-F)*• F: Impact protection according to EN 13594:2015 - Y/N (P=Yes) <p><i>* coupe test results are only indicative while the TDM cut resistance test (ISO13997) is the reference performance result.</i></p>
EN 388:2016 + A1:2018 D. Puncture Resistance	Mechanical Hazards <ul style="list-style-type: none">• A: Abrasion resistance - number of rubs (Level 0-4)• B: Blade cut resistance - Coupe Test - Index (Level 0-5)• C: Tear resistance - N (Level 0-4)• D: Puncture resistance - N (Level 0-4)• E: TDM Cut resistance according to ISO 13997 - N (Level A-F)*• F: Impact protection according to EN 13594:2015 - Y/N (P=Yes) <p><i>* coupe test results are only indicative while the TDM cut resistance test (ISO13997) is the reference performance result.</i></p>
EN 388:2016 + A1:2018 E. Cut Resistance ISO	X
EN ISO 374-5:2016 Protective gloves against microorganisms	Protective gloves which form a protective barrier to microbiological agents. Not tested against viruses.

PRODUCT DATA SHEET

MaxiDex® Elite™ with AD-APT® 27-208

HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Washable	40°C/104°F
Sanitized®	Yes



Special features

Liquid proof	Yes
Touchscreen compatible	Yes
AD-APT Cooling Technology	Yes



Packaging

Pairs per poly bag	12
Poly bags per carton	6
Carton count	72
Carton dimensions (mm)	500 x 295 x 200

Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Glove weight / pair (+/- 6 gram)	28	30	32	36	38	40
Gross weight (kg)	3	3.2	3.3	3.6	3.7	3.9
Carton weight (kg)	1	1	1	1	1	1
Net weight (kg)	2.0	2.2	2.3	2.6	2.7	2.9

Issue date: 03/04/2026

