

FOOD CONTACT

Declaration of product compliance



This declaration of conformity is issued under the sole responsibility of the manufacturer:

Advanced Technology Gloves

ATG Hand Care (Pvt) Ltd.

Spur Road 7 - IPZ Phase 2

Katunayake

Sri Lanka

Contact address within EU:
Heilbronner Str. 150, 70191 Stuttgart

The manufacturer hereby declares that the below-described Personal Protective Equipment (PPE):

MaxiDex[®] Elite[™]

with item number 19-209

complies with the requirements of Article 3, 11(5), 15 and 17 of Regulation (EC) No 1935/2004, the Resolution RESAP (2004) 4 on rubber products intended to come into contact with food and and were manufactured in accordance with GMP Regulation 2023/2006.

All substances used in the product comply to:

- Relevant positive List
- Extractable Substances / Overall Migration
- Volatile Organic Substances
- Sensory Test
- Colorfastness

Furthermore the product complies to national Regulations in:

Germany: § 31 LFGB (German Lebensmittel, Bedarfsgegenstände und Futtermittelge- setzbuch), Empfehlung des Bundesinstituts für Risikobewertung(BfR) XXI- 1. Bedarfsgegenstände aus Natur- und Synthesekautschuk in Kontakt mit Lebensmitteln.

France: Arrêté du 5 août 2020, relatif aux matériaux et objets en caoutchouc destinés à entrer en contact avec des denrées alimentaires.

Italy: Decreto Ministeriale del 21/03/1973- ed emendamenti.

Netherlands: Warenwetregeling verpakkingen en gebruiksartikelen - Art 3c - Rubberproducten.

Czech Republic: Vyhláška č. 38/2001 Sb.- Hlava II- Požadavky na výrobky z elastomerů a materiálů na základě přírodního a syntetického kaučuku.

Specifications on the use of the materials or the article:

Food Simulant	Food	Recommendation
Acetic Acid 3%	Acetic food, pH<4.5	Yes
Ethanol 50% + MPPO	Alcohol, Fatty Food, Dairy Food	Yes
MPPO (Tenax)	Dry, non fatty food	Yes

Duration and temperature of use during food contact:

Short contact up to 30 Min at 40 °C

Overall Migration: tested at 0,5h/40°C with Acetic Acid 3%

Overall Migration: tested at 0,5h/40°C with Ethanol 50%


Overall Migration: tested at 0,5h/100°C with MPPO/Tenax

The ratio of food contact area to the volume, whereby the conformity is determined (dm²/kg food simulant):

6/1 (Acetic Acid 3%, Ethanol 50% - overall migration)

0.5/0.002 (MPPO - overall migration)

FOOD CONTACT



11/08/2025

Sisira Kumara
Director - Quality Assurance
ATG Hand Care (Pvt) Ltd.
regulations@atg-glovesolutions.com