


Product Data Sheet

NBR-Lite® 24-985

Colour – Coating	Yellow
Colour – Liner	Neutral
Design	3/4 coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Solid
Liner	Cotton
Palm thickness	1.10 mm



Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)
Total glove length (+/-10 mm)	220	235	250	265	270
Wrist length (mm)	65	68	70	72	74
Wrist width (mm)	76	81	86	88	88
Palm width (+/-3 mm)	92	101	112	118	123
Over lock colour	Blue	Red	Orange	White	Yellow

EN test Results

Test	Notified Body	Result/Pass
EN ISO 21420: 2020	SATRA IRE	Yes
EN 388: 2016 + A1: 2018	SATRA IRE	4121X



Product Data Sheet

NBR-Lite® 24-985

Typical Performance Values

EN ISO 21420 Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 1.2 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 25 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 20 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	X

HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867)	Certified
Washable	40°
Sanitized®	Yes



Special features

Silicone free	No
Liquid proof	No
Treated with BodyCare	No



Product Data Sheet

NBR-Lite® 24-985

Packaging

Pairs per poly bag	12
Poly bags per carton	12
Carton count	144
Carton dimensions (mm)	500 x 295 x 350

Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)
Glove weight / Pair (+/-6 gram)	42	54	60	72	76
Gross Weight (Kg)	7	8.8	9.6	11.4	12
Carton Weight (Kg)	1	1	1	1	1
Net Weight (Kg)	6	7.8	8.6	10.4	11

Issue date: 10.09.2020

