


Product Data Sheet

MAXI-LITE N® 34-953

Colour – Coating	Light grey
Colour – Liner	White
Design	Palm coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Solid
Liner	Nylon
Thickness	0.90 mm



Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/-10 mm)	205	215	225	235	245	250
Wrist length (mm)	60	60	65	70	70	70
Wrist width (mm)	65	65	70	75	75	75
Palm width (+/-3 mm)	90	95	100	105	110	112
Over lock colour	Blue	Red	Orange	White	Yellow	Black

EN test Results

Test	Notified Body	Result/Pass
EN 420	SATRA IRE	Yes
EN 388: 2016 + A1: 2018	SATRA IRE	4121X



Product Data Sheet

MAXI-LITE N® 34-953

Typical Performance Values

EN 420 Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 1.2 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 25 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 20 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	X

HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Oeko-Tex® 100	Certified
Washable	40°
Sanitized®	Yes



Special features

Silicone free	Yes
---------------	-----

Packaging

Pairs per poly bag	12
Poly bags per carton	12
Carton count	144
Carton dimensions (mm)	500 x 295 x 270



Product Data Sheet

MAXI-LITE N® 34-953

Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Glove weight / Pair (+/-6 gram)	30	34	38	42	44	50
Gross Weight (Kg)	5.6	6.2	6.8	7.3	7.6	8.5
Carton Weight (Kg)	1	1	1	1	1	1
Net Weight (Kg)	4.6	5.2	5.8	6.3	6.6	7.5

Issue date: 11.02.2019

