


# PRODUCT DATA SHEET

## MaxiCut® Ultra™ 44-4745

<b>Colour – Coating</b>	Black
<b>Colour – Liner</b>	Black
<b>Design</b>	Palm coated knitwrist
<b>Coating</b>	NBR (Nitrile Butadiene Rubber)
<b>Coating texture</b>	Micro-Foam for Controlled Grip
<b>Liner</b>	UHMWPE, Nylon, Polyester
<b>Palm thickness (mm)</b>	1.25



### Dimensions

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
<b>Total glove length (+/- 10 mm)</b>	200	210	220	235	245	250	260	260
<b>Wrist length (mm)</b>	64	64	71	74	75	75	79	80
<b>Wrist width (mm)</b>	78	80	80	83	86	90	91	93
<b>Palm width (mm)</b>	83	86	90	95	98	100	103	104
<b>Over lock colour</b>	Purple	Blue	Red	Orange	White	Yellow	Black	Green

### EN Test Results

Test	Notified body	Result/Pass
<b>EN ISO 21420: 2020</b>	TÜV Rheinland	Yes
<b>EN 388:2016 + A1:2018</b>	TÜV Rheinland	4343D



# PRODUCT DATA SHEET

## MaxiCut® Ultra™ 44-4745

### Typical Performance Values

EN ISO 21420: General requirements Dexterity	Level 5
EN 388:2016 + A1:2018 A. Abrasion Resistance	> 8000 Cycles
EN 388:2016 + A1:2018 B. Cut Resistance	> 5.0 index
EN 388:2016 + A1:2018 C. Tear Resistance	> 75 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	> 100 newtons
EN 388:2016 + A1:2018 E. Cut Resistance ISO	≥ 15 Newton

### HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867 Hohenstein HTTI)	Certified
Washable	40°C/104°F
Sanitized®	Yes



### Special features

Silicone free	Yes
Touchscreen compatible	Yes



# PRODUCT DATA SHEET

## MaxiCut® Ultra™ 44-4745

### Packaging

Pairs per poly bag	12
Poly bags per carton	6
Carton count	72
Carton dimensions (mm)	500 x 295 x 200

### Weight

Size Range	Size 5 (XXS)	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Glove weight / pair (+/- 6 gram)	48	52	58	62	68	72	76	78
Gross weight (kg)	4.4	4.7	5.2	5.5	5.9	6.2	6.5	6.6
Carton weight (kg)	1	1	1	1	1	1	1	1
Net weight (kg)	3.4	3.7	4.2	4.5	4.9	5.2	5.5	5.6

Issue date: 24/03/2023

